


## MAGIC / ROMA/ ROYAL GRINDER CLEANING INSTRUCTIONS

Make sure the machine is turned off & unplugged.

Remove all beans from the bean container. Vacuum out all beans that can not be scooped out.

Remove 2 Phillip's head screws from bean container.




2 Phillip's head screws

Remove bean container from machine by pulling straight up. Vacuum out any additional beans and grinds from the grinder.




Black rubber gasket that needs to be removed. Note when you lift up the bean container the rubber gasket may be still attached to the plastic bottom.




Coffee Grinder Adjuster Lever ( Has 1 – 8 below it)

Take index finger and place underneath where the arrow is pointing and lift straight up to remove. It has 2 plastic tabs holding in place.



Turn the outer ring (little holes around it) counterclockwise and at the same time lift up on the inner part (has 4 tabs to lift up on) until the inner part can be pulled out.




This is the inner part (burr) described above that you will be lifting up on. The arrows are pointing at the 4 tabs to lift up on


This part should be cleaned with a brush to remove coffee build up.



This area should be vacuumed so that all coffee beans and grinds are removed.




Drop the inner part (burr) back inside and then turn the outer ring clockwise until it stops.




Now turn the outer-ring (holes in it) 13 clicks counter-clockwise and stop.



Now place the black rubber gasket back down onto the inner part (burr).



Now the grinder setting arm needs to be placed back onto the outer-ring (little holes around it). Drop it down and snap in place at the # 4 grinder setting.



Now place the bean container back on the unit and tighten down with the 2 Phillip Screws that were removed at the start.